

<b>Child and Adult Care Food Program Breakfast</b>					
[Select the appropriate components for a reimbursable meal]					
<b>Food components and food items<sup>1</sup></b>	<b>Minimum quantities</b>				
	<b>Ages 1-2</b>	<b>Ages 3-5</b>	<b>Ages 6-12</b>	<b>Ages 13-18<sup>2</sup> (at-risk afterschool programs and emergency shelters)</b>	<b>Adult participants</b>
Fluid Milk <sup>3</sup>	4 fluid ounces	6 fluid ounces	8 fluid ounces	8 fluid ounces	8 fluid ounces
Vegetables, fruits, or portions of both <sup>4</sup>	¼ cup	½ cup	½ cup	½ cup	½ cup
Grains (oz. eq.) <sup>5 6 7 8</sup>	½ ounce equivalent	½ ounce equivalent	1 ounce equivalent	1 ounce equivalent	2 ounce equivalents

**Endnotes:**

<sup>1</sup> Must serve all three components for a reimbursable meal. Offer versus serve is an option for at-risk afterschool participants.

<sup>2</sup> Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

<sup>3</sup> Must be unflavored whole milk for children age one. Must be unflavored low-fat (1 percent fat or less) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored or flavored fat-free (skim) or low-fat (1 percent fat or less) milk for children 6 years old and older and adults. For adult participants, 6 ounces (weight) or ¾ cup (volume) of yogurt may be used to meet the equivalent of 8 ounces of fluid milk once per day when yogurt is not served as a meat alternate in the same meal.

<sup>4</sup> Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

<sup>5</sup> At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards meeting the grains requirement.

<sup>6</sup> Meat and meat alternates may be used to meet the entire grains requirement a maximum of three times a week. One ounce of meat and meat alternates is equal to one ounce equivalent of grains.

<sup>7</sup> Refer to FNS guidance for additional information on crediting different types of grains.

<sup>8</sup> Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).

<b>Child and Adult Care Food Program Snack</b>					
[Select two of the five components for a reimbursable meal]					
<b>Food components and food items<sup>1</sup></b>	<b>Minimum quantities</b>				
	<b>Ages 1-2</b>	<b>Ages 3-5</b>	<b>Ages 6-12</b>	<b>Ages 13-18<sup>2</sup> (at-risk afterschool programs and emergency shelters)</b>	<b>Adult participants</b>
Fluid Milk <sup>3</sup>	4 fluid ounces	4 fluid ounces	8 fluid ounces	8 fluid ounces	8 fluid ounces
Meat/meat alternates (edible portion as served):					
Lean meat, poultry, or fish	½ ounce	½ ounce	1 ounce	1 ounce	1 ounce
Tofu, soy products, or alternate protein products <sup>4</sup>	½ ounce	½ ounce	1 ounce	1 ounce	1 ounce
Cheese	½ ounce	½ ounce	1 ounce	1 ounce	1 ounce
Large egg	½	½	½	½	½
Cooked dry beans or peas	⅛ cup	⅛ cup	¼ cup	¼ cup	¼ cup
Peanut butter or soy nut butter or other nut or seed butters	1 Tbsp	1 Tbsp	2 Tbsp	2 Tbsp	2 Tbsp
Yogurt, plain or flavored unsweetened or sweetened <sup>5</sup>	2 ounces or ¼ cup	2 ounces or ¼ cup	4 ounces or ½ cup	4 ounces or ½ cup	4 ounces or ½ cup
Peanuts, soy nuts, tree nuts, or seeds	½ ounce	½ ounce	1 ounce	1 ounce	1 ounce
Vegetables <sup>6</sup>	½ cup	½ cup	¾ cup	¾ cup	½ cup
Fruits <sup>6</sup>	½ cup	½ cup	¾ cup	¾ cup	½ cup
Grains (oz. eq.) <sup>7 8 9</sup>	½ ounce equivalent	½ ounce equivalent	1 ounce equivalent	1 ounce equivalent	1 ounce equivalent

**Endnotes:**

<sup>1</sup> Select two of the five components for a reimbursable snack. Only one of the two components may be a beverage.

<sup>2</sup> Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

<sup>3</sup> Must be unflavored whole milk for children age one. Must be unflavored low-fat (1 percent fat or less) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored or flavored fat-free (skim) or low-fat (1 percent fat or less) milk for children 6 years old and older and adults. For adult participants, 6 ounces (weight) or ¾ cup (volume) of yogurt may be used to meet the equivalent of 8 ounces of fluid milk once per day when yogurt is not served as a meat alternate in the same meal.

<sup>4</sup> Alternate protein products must meet the requirements in Appendix A to part 226 of this chapter.

<sup>5</sup> Yogurt must contain no more than 23 grams of total sugars per 6 ounces.

<sup>6</sup> Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

<sup>7</sup> At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards the grains requirement.

<sup>8</sup> Refer to FNS guidance for additional information on crediting different types of grains.

<sup>9</sup> Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).

## Child and Adult Care Food Program Lunch and Supper

[Select the appropriate components for a reimbursable meal]

Food components and food items <sup>1</sup>	Minimum quantities				
	Ages 1-2	Ages 3-5	Ages 6-12	Ages 13-18 <sup>2</sup> (at-risk afterschool programs and emergency shelters)	Adult participants
Fluid Milk <sup>3</sup>	4 fluid ounces	6 fluid ounces	8 fluid ounces	8 fluid ounces	8 fluid ounces <sup>4</sup>
Meat/meat alternates (edible portion as served):					
Lean meat, poultry, or fish	1 ounce	1 ½ ounces	2 ounces	2 ounces	2 ounces
Tofu, soy products, or alternate protein products <sup>5</sup>	1 ounce	1 ½ ounces	2 ounces	2 ounces	2 ounces
Cheese	1 ounce	1 ½ ounces	2 ounces	2 ounces	2 ounces
Large egg	½	¾	1	1	1
Cooked dry beans or peas	¼ cup	⅜ cup	½ cup	½ cup	½ cup
Peanut butter or soy nut butter or other nut or seed butters	2 Tbsp	3 Tbsp	4 Tbsp	4 Tbsp	4 Tbsp
Yogurt, plain or flavored unsweetened or sweetened <sup>6</sup>	4 ounces or ½ cup	6 ounces or ¾ cup	8 ounces or 1 cup	8 ounces or 1 cup	8 ounces or 1 cup
The following may be used to meet no more than 50% of the requirement:					
Peanuts, soy nuts, tree nuts, or seeds, as listed in program guidance, or an equivalent quantity of any combination of the above meat/meat alternates (1 ounce of nuts/seeds = 1 ounce of cooked lean meat, poultry, or fish)	½ ounce = 50%	¾ ounce = 50%	1 ounce = 50%	1 ounce = 50%	1 ounce = 50%
Vegetables <sup>7 8</sup>	⅛ cup	¼ cup	½ cup	½ cup	½ cup
Fruits <sup>7 8</sup>	⅛ cup	¼ cup	¼ cup	¼ cup	½ cup
Grains (oz eq) <sup>9 10 11</sup>	½ ounce equivalent	½ ounce equivalent	1 ounce equivalent	1 ounce equivalent	2 ounce equivalents

**Endnotes:**

<sup>1</sup> Must serve all five components for a reimbursable meal. Offer versus serve is an option for at-risk afterschool and adult participants.

<sup>2</sup> Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

<sup>3</sup> Must be unflavored whole milk for children age one. Must be unflavored low-fat (1 percent fat or less) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored or flavored fat-free (skim) or low-fat (1 percent fat or less) milk for children 6 years old and older and adults. For adult participants, 6 ounces (weight) or  $\frac{3}{4}$  cup (volume) of yogurt may be used to meet the equivalent of 8 ounces of fluid milk once per day when yogurt is not served as a meat alternate in the same meal.

<sup>4</sup> A serving of fluid milk is optional for suppers served to adult participants.

<sup>5</sup> Alternate protein products must meet the requirements in Appendix A to Part 226 of this chapter.

<sup>6</sup> Yogurt must contain no more than 23 grams of total sugars per 6 ounces.

<sup>7</sup> Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

<sup>8</sup> A vegetable may be used to meet the entire fruit requirement. When two vegetables are served at lunch or supper, two different kinds of vegetables must be served.

<sup>9</sup> At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards the grains requirement.

<sup>10</sup> Refer to FNS guidance for additional information on crediting different types of grains.

<sup>11</sup> Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).